

1. (Canceled)
2. (New) A method for monitoring compliance of a patient with a medication regimen, the method comprising:
 - logging on to a web site,
 - registering a patient at the web site;
 - receiving a report at the web site from the patient indicating whether the patient has taken medication; and
 - receiving a report at the web site from the patient indicating whether the patient has any symptoms after taking the medication.
3. (New) The method as recited in claim 2, wherein the patient enters his/her own code.
4. (New) The method as recited in claim 2, wherein a case manager performs the logging.
5. (New) The method as recited in claim 2, further comprising
 - receiving a report at the web site from the patient describing any side effects.
6. (New) The method as recited in claim 2, further comprising:
 - accessing the web site;
 - reviewing any information reported by the patient; and
 - making a clinical intervention.
7. (New) The method as recited in claim 6, wherein the clinical intervention is based on a stage of treatment.
8. (New) The method as recited in claim 6, wherein the reviewing and making is performed by a physician.

9. (New) The method as recited in claim 8, wherein communication between the physician and the patient is asynchronous.
10. (New) The method as recited in claim 8, wherein the physician enters his/her own code at the web site.
11. (New) The method as recited in claim 6, wherein a case manager performs the reviewing and making.
12. (New) The method as recited in claim 2, wherein the reports are received from the patient daily.
13. (New) A web site enabling the monitoring of compliance of a patient with a medication regimen, the web site comprising:
- means for receiving first input registering a patient at the web site;
 - means for receiving second input from a patient, the second input reporting whether the patient has taken medication, and reporting whether the patient has any symptoms after taking the medication.
14. (New) A system enabling the monitoring of compliance of a patient with a medication regimen, the system comprising:
- a network;
 - a case manager connected to the network through a first browser, the case manager effective to perform the steps of
 - logging on to a web site, and
 - registering a patient at the web site;
 - the patient connected to the network through a second browser, the patient effective to perform the steps of

logging on to the web site;

reporting whether the patient has taken medication; and

reporting whether the patient has any symptoms after taking the medication.